


ITEM	QTY -033	P/N	DESCRIPTION
	X	D119-796-033	FLOAT GEAR WITH REINFORCED WEARPLATES
1	2	D119-646-143	FLOAT SKIDTUBE WITH REINFORCED WEARPLATES
2	1	D119-796-151	XTUBE ASSY (AW119 MKII FWD)
3	1	D119-796-251	XTUBE ASSY (AW119 MKII AFT)
4	48	D2652	BUSHING
5	2	D3407-041	TOW RING
6	4	D3417-5	WASHER
7	2	D3456-1	WASHER
8	48	D3672-3	PHENOLIC WASHER
9	40	D3672-7	PHENOLIC WASHER
10	2	D3883-1	SADDLE, OUTBOARD LH
11	2	D3883-2	SADDLE, OUTBOARD RH
12	2	D3884-1	SADDLE, INBOARD LH
13	2	D3884-2	SADDLE, INBOARD RH
14	4	D3886-041	LUG ASSEMBLY
15	4	D5449-1	FLOAT SADDLE WASHER
16	12	AN3C45A	BOLT
17	8	AN3C46A	BOLT
18	16	AN3C50A	BOLT
19	24	AN4C6A	BOLT
20	36	MS21043-3	NUT, SELF-LOCKING
21	26	MS21043-4	NUT, SELF-LOCKING
22	8	MS21043-5	NUT, SELF-LOCKING
23	8	MS21250-05048	BOLT
24	48	NAS1149C0332R	WASHER
25	48	NAS1149C0432R	WASHER
26	8	NAS1149C0532R	WASHER



D119-796-033 FLOAT GEAR WITH REINFORCED WEARPLATES


- NOTES:
1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: N/A
4) UNITS: N/A
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: INSTALL D2729-4 RED DECAL IN LOCATION SHOWN
7) WEIGHT: 150.3 LBS

RELEASED

2018 APR 30
ECN 18-718

APPROVED

B	ADDED D5449-1, REVISED D3672-7 TO QTY(40), NAS1149C0532R TO QTY(8), REF NCR17-6698	VS	17.12.07
A	NEW ISSUE	AP	15.04.01
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DD	D119-796-033	SHEET 1 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	CP	FLOAT GEAR WITH REINFORCED WEARPLATES	NTS
DATE	17.12.07	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SUPPLEMENTAL VIEW - TORQUE SEQUENCE

TABLE 1: TORQUE SEQUENCE AND MAX TORQUE

TORQUE SEQUENCE	PART NUMBER	TORQUE
H1	MS21250-05048	66-85 IN-LBS (7.3 - 9.6 n-m)
H2	MS21250-05048	66-85 IN-LBS (7.3 - 9.6 n-m)
H3	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H4	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H5	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H6	AN3C50A	15-25 IN-LBS (1.7 - 9.6 N-m)
H7	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H8	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H9	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H10	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H11	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)
H12	AN4C6A	50-70 IN-LBS (5.7 - 7.9 N-m)

RELEASED
2018 APR 3 04

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DD	D119-796-033	SHEET 3 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	CP	Float gear with reinforced wearplates	NTS
DATE	17.12.07	COPYRIGHT © 2014 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

D

C

B

A

D

C


B

A

D3407-041 TOW RING
D3417-5 WASHER

9

INBOARD



DETAIL C
2 PL

D3417-5 WASHER
D3456-1 WASHER
MS21043-4 NUT

8 9 11


D2652 BUSHING
NAS1149C0332R WASHER
MS21043-3 NUT
2 PL

8 9 10

D3886-041 LUG ASSEMBLY

9

INBOARD



DETAIL B
4 PL

D2652 BUSHING
AN3C46A BOLT
2 PL

8 9 10

RELEASED

2018 APR 30

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: N/A
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) INSTALL WET WITH SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
 - 9) APPLY FAY SEAL AND FILLET SEAL USING SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
 - 10) TORQUE AN3 HARDWARE TO 20-25 IN-LBS
 - 11) TORQUE AN4 HARDWARE TO 50-70 IN-LBS

APPROVED

DESIGN	AP	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DD	D119-796-033	SHEET 4 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	CP	Float gear with reinforced wearplates	NTS
DATE	17.12.07	COPYRIGHT © 2014 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

D

C

B


A

D

C

B

A



DETAIL D
6 PL PER SKIDTUBE

RELEASED

2018 APR 30 *qp*

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: N/A
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) LOOSELY INSTALL FASTENERS, DO NOT TORQUE
 - 9) INSTALL MS21043-3 NUT ON INBOARD SIDE OF SKIDTUBE

APPROVED

DESIGN	AP	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	DD	D119-796-033	SHEET 5 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	CP <i>qp</i>	FLOAT GEAR WITH REINFORCED WEARPLATES	NTS
DATE	17.12.07	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	